

#### POST CAPS



Flat	Flat		
Code	Dimensions	\$ each	
FC40	40NB	1.93	
FC50	50NB	2.12	



Round			
Code	Dimensions	\$ each	
PC20	20NB	1.37	
PC25	25NB	1.51	
PC32	32NB	1.59	
PC40	40NB	1.64	
PC50	50NB	1.82	
PC65	65NB	3.21	
PC80	80NB	6.51	
PC90	90NB	9.65	
PC100	100NB	10.82	
PC125	125NB	13.79	
PC150	150NB	17.56	
PC220	220mm	25.08	



Square		
Code	Dimensions	\$ each
SPC35	35mm	2.01
SPC38	38mm	2.06
SPC40	40mm	2.09
SPC45	45mm	2.29
SPC50F	50mm	1.61
SPC50L	50mm (Qty 1-99)	0.77
SPC50L	50mm (Qty 100+)	0.59
SPC65	65mm	2.92
SPC65F	65mm	4.38
SPC75	75mm	5.61
SPC90	90mm	6.91
SPC90F	90mm	6.91
SPC100	100mm	9.02
SPC100F	100mm	9.02
SPC125	125mm	13.78
SPC125F	125mm	13.78



SPC150

R	ectangular		
C	ode	Dimensions	\$ each
R	C8040	80x40mm	4.67

150mm



Tube		
Dimensions	\$ each	
51mm	1.70	
57mm	1.92	
	51mm	

#### RAIL SADDLES



Code	Dimensions	\$ each
RS3825	38x25mm (Qty 1-99)	0.45
RS3825	38x25mm (Qty 100+)	0.32
RS4040	40x40mm	1.61
RS5050	50x50mm	1.61

#### **RAIL JOINERS**



Code	Dimensions	\$ each
RJ3825	38x25mm (Qty 1-99)	0.77
RJ3825	38x25mm (Qty 100+)	0.59

#### **TUBE END BRACKET**



Code	Dimensions	\$ each
TEB3825	38x25mm	1.23

#### PLASTIC POLY END CAPS



Rouna Plugs	ouna Piugs		
Code	Dimensions	\$ each	
PEC19R	19mm	0.47	
PEC22R	22mm	0.51	
PEC25R	25mm	0.54	
PEC32R	32mm	0.59	



Flat Round Caps			
Code	Dimensions	\$ each	
PEC25RF	25NB	1.46	
PEC32RF	32NB	3.44	
PEC40RF	40NB	3.51	
PEC50RF	50NB	3.74	



	Domed Roun	und Plugs	
	Code	Dimensions	\$ each
	PEC19RD	19mm	0.49
	PEC25RD	25mm	0.68
	Square		
	Code	Dimensions	\$ each

Square		
Code	Dimensions	\$ each
PEC20S	20mm	0.52
PEC25S	25mm	0.60
PEC30S	30mm	0.68
PEC35S	35mm	0.74
PEC40S	40mm	0.92
PEC50S	50mm	1.77
PEC65S	65mm	6.12
PEC75S	75mm	7.50
PEC90S	90mm	11.40
PEC100S	100mm	13.28
PEC125S	125mm	22.13
PEC150S	150mm	27.66



Rectangular			
Code	Dimensions	\$ each	
PEC38X25	38x25mm	0.75	
PEC50X10	50x10mm	1.38	
PEC50X25	50x25mm	1.16	
PEC75X50	75x50mm	4.31	
PEC76X38	76x38mm	4.23	
PEC80X40	80x40mm	5.98	
PEC100X50	100x50mm	9.02	
PEC125X75	125x75mm	13.29	
PEC150X50	150x50mm	14.38	
PEC150X100	150x100mm	23.23	

#### PANEL BRACKETS



17.47

Code	Description	\$ each
PBGB	Galvanised	1.36
PBZ	Zinc	1.48
Long		



Long		
Description	\$ each	
Galvanised	1.64	
Zinc	1.81	
	Galvanised	

#### MESH BRACKET



Code	Dimensions	\$ each
MB20	20mm	0.30
MB25	25mm	0.37

#### **RETAINING WALL BRACKETS**



Code	Dimensions	\$ each
RWB100	100mm	25.25
RWB120	120mm	25.25
RWB125	125mm	25.25
RWB150	150mm	33.22



Retaining Wall Brackets are a made to order item.

Please follow the QR code for important usage information regarding Retaining Wall Brackets.

#### **TUBE FLANGES**




Code	Dimensions	\$ each
SPF25	25mm	1.61
SPF30	30mm	1.61
SPF40	40mm	1.61
SPF3825	38x25mm	1.61
SPF32R	32NB	1.61
SPFA25	25mm	12.49
SPFAD30	30mm	3.05
SPFAD40	40mm	3.05
SPFAD3825	38x25mm	3.05

#### **PIPE FLANGES**

	Code	Dimensions	\$ each
	OPF20	20NB	4.09
(S)	OPF25	25NB	4.55
	OPF32	32NB	5.78
	OPF40	40NB	6.83
	OPF50	50NB	7.92
-	RPF32	32NB	8.46
رف	RPF40	40NB	8.59
	RPF50	50NB	12.01
4	PF32	32NB	8.29
<b>€</b> ⊘>	PF40	40NB	8.63
-	PF50	50NB	12.08
000	RF25	25NB	5.15
	RF32	32NB	7.96
	RF40	40NB	8.29

#### **SECURITY FLANGES**

RF50



12.01

10.00

15.00

#### **ALUMINIUM FLANGES**



Code	Dimensions	\$ each
CB46B	25x25mm	2.36
CB43B	30x30mm	2.36
CB32B	32x32mm	2.36
CB40IB	40x40mm	3.12
CB50IB	50x50mm	6.84
CB44A	38x25mm	2.36

#### **VERANDAH POST BASES**

VPC50

VPC65



Straight		
Code	Dimensions	\$ each
VPB50	50x50mm	10.00
VPB65	65x65mm	15.00
VPB75	75x75mm	24.15
VPB100	100x100mm	33.22
Corner		
Code	Dimensions	\$ each

50x50mm

65x65mm

#### PALLET FEET



Code	Dimensions	\$ each
PFSB	130x130mm	8.84
	Zinc	
PFSG	130x130mm	12.85
	Galvanised	



#### CLEATS



Galvanised			
Code	Dimensions	\$ each	
FC2GB	90x38mm	1.09	
FC3GB	145x38mm	1.25	
FCAGB	75x75x38mm	1.89	
FCA2GB	45x45x38mm	1.31	



**Carport Cleats** 

Code Dimensions		\$ each
CC150	145x50x3mm	2.85
CC200	180x50x3mm	4.09
CC100A	80x55x55x3mm	3.99
CC150A	145x50x50x3mm	6.28
CC200A	180x50x50x3mm	6.84



Furning Johning Flates		
Code	Dimensions	\$ each
PJP100	110x80x3mm	4.38
PJP150	130x130x3mm	5.15
PJP200	175x175x3mm	6.18

#### **BASE PLATES**



Code	Dimensions	\$ each
IPF50	50x50mm	23.25
SPF50	50x50mm	11.83
SPB130	130x130x3mm	8.95
SPB150	150x150x10mm	21.54
SPB200	200x200x10mm	36.55
SPB250	250x200x10mm	43.85



Galvspan

Code	Dimensions	\$ each
GS150x50	150x50x6mm	8.10
GS150x65	150x65x6mm	9.52
GS150x75	150x75x6mm	10.90
GS180x100	180x100x6mm	17.50

Don't see the size you need listed? Contact us to have a base plate made to the specifications for your job.

#### **HINGE STRAPS**



Hinge Straps Tight Fit				
Code	Dimensions	\$ each		
HSTF20	20NB	2.77		
HSTF25	25NB	4.52		
HSTF32	32NB	5.06		
HSTF40	40NB	5.44		



Hinge Straps Loose Fit				
Code	Dimensions	\$ each		
HSLF20	20NB	2.32		
HSLF32	32NB	5.08		
a				



Strap Attachments				
Code	Dimensions	\$ each		
SA1	20NB	1.94		
SA2	25NB	2.07		

#### **DROP BOLTS**



Code	Dimensions	\$ each
DB2Z300	300x12mm	6.89
DB2Z450	450x12mm	12.28
DB2Z800	800x12mm	22.11
	Includes 2x lugs	
TB600	600x16mm	16.30
TB800	800x16mm	19.53
Lockable		

400x12mm

Includes lug

# DBP400L

#### **DROP BOLT LUGS**




#### **D-LATCHES**



2 6	Code	Description	\$ each
0	DLBOR	Bolt On Round Latch	10.36
H	DLBOR-S	Bolt On Round Striker	4.52
	DLBO1	Bolt On Flat Latch	10.36
Þ	DLBO1-S DLBO1-SXL DLBO1-SL	Bolt On Striker Bolt On Striker Long Bolt On Striker Lockable	4.52 9.48 10.03
	DLBO1-C	Bolt On Latch, Striker and Handle (Complete)	15.95
	DLHS DLHSL	Handle Slotted Handle Slotted Long	4.45 5.27
	DLWOA-RH	Wall Latch (Right Hand)	19.93
	DLWOA-LH	Wall Latch	19.93







DLWOR

DLWOR-S

	Round
OLTS	

Weld On Striker



PAD B

Code	Dimensions	\$ each
EPB100	100mm (Standard shoot)	6.60
EPB150	150mm (Long shoot)	17.09
G800	Panic/Spring Pad Bolt and Keeper	49.02

#### **GATE HINGES & FITTINGS**



angle Guageon Wela On			
Code	Dimensions	\$ each	
AG20	20NB	7.23	
AG25	25NB	7.45	
AG27	27NB	7.91	
AG33	33NB	11.89	



15.79

Gudgeon Bolt On				
Code	Dimensions	\$ each		
BG20	20NB	7.64		
BG25	25NB	8.61		
BG27	27NB	9.37		
BG33	33NB	13.34		



Long Backed Gudgeon Bolt On		
Code	Dimensions	\$ each
LBG20	20NB	8.72
LBG25	25NB	9.40
LBG27	27NB	10.94



Ferrule Pip	e Hinge	
Code	Dimensions	\$ each
FER-S	90mm	6.37
FER-L	100mm	6.65



Long Backet	I Gudgeon Adjustable	
Code	Dimensions	\$ each
LBGA40	40x40mm	35.88
LBGA50	50x50xx	57.50



Adjustable Hinge Pack			
Code	Dimensions	\$ each	
AHP	Fits 25mm, 30mm	23.92	

Code	Dimensions	\$ each
AHP	Fits 25mm, 30mm and 38x25mm	23.92
Tuff Hinges		



Code	Description	\$ each
WHLH	L/H Weld/Screw	17.27
WHRH	R/H Weld/Screw	17.27
WHLHSS	L/H Screw/Screw	19.93
WHRHSS	R/H Screw/Screw	19.93
WHLHWW	L/H Weld/Weld	19.93
WHRHWW	R/H Weld/Weld	19.93
WHLHHD	L/H Heavy Duty	79.74
WHRHHD	R/H Heavy Duty	79.74



Nylon Hinges

Loose Pin H	Loose Pin Hinges		
Code	Dimensions	\$ each	
BH100x75	Butt Hinge 100x75	13.29	
	Loose Pin		



Code	Description	\$ each
HNP	Nylon Hinge Plain	23.25
HNS	Nylon Hinge with Spring (Self Close)	25.25

#### **D&D RANGE**



7.02

1.61

7.02

1.61

D&D Magnetic Gate Latch			
Code	Dimensions	\$ each	
ML3TPLA	Magnetic Gate Latch (Long Pull)	79.98	
ML3VPLA	Magnetic Gate Latch (Short Pull)	77.52	



D&D Lokk•Latch	
Code	\$ each
D&D PROLOCK	70.00
D&D PROLOCK KEYALIKE	80.00



D&D Hinges				
Code	\$ each			
Tru•Close His TCA1S3	nges Without Leg	36.22		
TCA1L2S3	With Leg	36.22		



#### **SPRAY PAINT**



Code	Description	\$ each
S/PAINT	Spray Paint 150g Various Colours	13.17
C/G PAINT	Cold Galv 400g	14.15
C/G BLACK	Grey	14.15
C/G BLACK	Cold Galv 400g Black	14.15
C/G SILVER	Cold Galv 400g	14.15
C/G TOPCOAT	Silver Frost Cold Galv 400g	14.15
0/0 101 00A1	Top Coat	14.15

#### **MAGNETIC DRIVES**



Code	Quantity	\$ each
MD5/16	1	13.93

#### MASONRY DRILL BITS

ž	Code	
š	MDB6.5	
1	MDB10x120	
	MDD10v150	

Code

Code	Dimensions	\$ each
MDB6.5	6.5x100mm	7.94
MDB10x120	10x120mm	12.32
MDB10x150	10x150mm	18 40

#### **MASONRY BOLTS**



MB8/40	1		0.67
	50	2	28.84
MB10/40	1		1.06
	50	3	37.21
MB10/50	1		1.33
	50	3	9.87
MB10/60	1		1.60
	50	4	0.25
MB12/60	1		1.99
	50	6	6.45
MB12/100	1		1.63
	50	6	6.45

Quantity



Code	Quantity	\$ each
MB8705F	1	0.81
	50	79.74
MB8/90F	1	0.60
	50	59.80
MB10/55F	1	0.75
	50	63 79

#### METAL DRIVE ANCHORS

Flush Head

Ī	Code	Quantity	\$ each
4	MUSH	100	40.25
		1	0.67

#### **SECURITY SCREWS**



Quantity	\$ each
100	33.22
Driver (1 of)	33.22
	100

### SELF TAPPING SCREWS Class 3

Colour



Code	Quanity	\$ each
STS10/16	1	0.06
	100	5.31
	1000	39.87
STS12/20	1	0.20
	100	17.27
	1000	159.47
STS14/20	1	0.28
(Coarse)	100	22.60
	1000	225.00
STS14/25	1	0.28
(Fine)	100	22.60
	1000	225.00



Code	Quantity	\$ each
STS10/16C	1000	63.12
STS12/20C	500	86.38
	STS10/16C	STS10/16C 1000

Please note that all coloured screws are

#### **WOOD SCREWS**



	Hex Head Type 17		
	Code	Quanity	\$ each
L	WS12/25	1000	119.60
	WS12/45	1000	172.76
J	WS12/65	1000	215.29

#### **SLIDING GATE ACCESSORIES**







Gate Travel Stop		
Code	Description	\$ each
FMTS	Floor mount stop	32.73

#### SLIDING GATE FLOOR TRACK & WHEELS

**Bolt Down Track** 

In Concrete Track



Code	Length	\$ each
FLOORZ3	3.0m	53.15
FLOORZ6	6.0m	99.67



Code	Length	\$ each	
ICT3	3.0m	112.96	
ICT6	6.0m	212.64	



In Ground Guide Joiner		
Code	Dimensions	\$ each
TJZ	100x13mm	6.49



Wheels		
Code	Dimensions	\$ each
DBBU90	90mm (Pair)	73.09

Other sizes available on request.

_	C
9	С
3	С

Nylon Guide Rollers		
Code	Dimensions	\$ each
CN30	31x40mm (Pair)	29.23
CN40	41x60mm (Pair)	43.85
	Code CN30	CN30 31x40mm (Pair) CN40 41x60mm

#### **MOTORS**



Remotes

Code	\$ each
Key Motor	977.50
Includes 4x lengths of nylon rack,	
2x remotes and motor.	



Code	\$ each
REMOTE-KEY	66.00
REMOTE-NICE	73.00
REMOTE-BFT	80.00



Nylon Slotted Rack			
Code	Dimensions	\$ each	
COG	1m length	34.50	

#### **DOOR TRACK**



Code	Max Weight	\$ per m
EG2	120kg	20.72
ED2	200kg	24.12
EM1	450kg	35.44

## 2 Wheel Carriage

Door Track



Code	Max Weight	\$ each
EG7	120kg	47.04
ED7LP	200kg	44.64
EH7	450kg	62.89





Code	Max Weight	\$ each
EG14LP	120kg	46.86
ED14LP	200kg	65.75
EH13LP	450kg	109.97

#### PIPE CUT RINGS



١	Code	Dimensions	\$ each
,	PCR90	90mm x 4mm	1.76
	PCRS75	75mm x 4mm	1.76

#### **ROLLED RINGS**



Code	Dimensions	\$ each
RRR90	90mm x 8mm	2.77
RRR100	100mm x 10mm	3.59

#### CHAINWIRE COMPONENTS



Code	Dimensions	\$ each
Couc	Diffictioning	ψ Сасп
T4040	Thru 40 Butt 40	10.36
T4050	Thru 40 Butt 50	12.80
T5040	Thru 50 Butt 40	13.34
T5050	Thru 50 Butt 50	14.92

## Crosses



Code	Dimensions	\$ each
X4040	Thru 40 Butt 40	13.86
X4050	Thru 50 Butt 40	18.29
X5050	Thru 50 Butt 50	26.66

#### PRESSED SPEARS



Code	Sizes	\$ each
SHS	- 19mm round - 20mm square - 25mm square - 30mm square	0.83

Please note: a minimum length of 500mm applies to all pressed spears.

Steel is to be supplied by the customer.



## SPEARS - ALUMINIUM

A	
50	
40	

Fleur De	Lis (Female)	
Code	Dimensions	\$ each
F2F	16x100mm	2.60
F11F	19x100mm	2.60



Fleur De I	Lis (Male)	
Code	Dimensions	\$ each
F3M	16x100mm	2.60
F4M	19x100mm	2.60

#### SPEARS - ALUMINIUM (CONTINUED)



Cardinal (	(Female)	
Code	Dimensions	\$ each
B11F	19x100mm	2.60



Camden (Fer	nale)	
Code	Dimensions	\$ each
W11F	19x150mm	4.67



Melrose (Female)				
Code	Dimensions	\$ each		
P2F	16x150mm	4.45		
P11F	19x150mm	4.45		
P2F100	16x100mm	2.81		
P11F100	19x100mm	2.81		



Melrose (M	Melrose (Male)						
Code	Dimensions	\$ each					
P4M	16x150mm	4.45					
P3M	19x150mm	3.85					
P3M100	19x100mm	2.81					



					BULF	( PRICING					
	Code	Quantity	\$ each		Code	Quantity	\$ each		Code	Quantity	\$ ead
F	FC40	100+	1.00	_	SPC40	100+	0.92		RJ3825	100+	0.5
<b>37</b> F	FC50	100+	1.17		SPC50L	100+	0.59			1000+	0.5
						1000+	0.53	1		10000+	0.4
	PC25	100+	0.83			10000+	0.48				
F	PC32	100+	0.90		SPC65	50+	1.34		TEB3825	100+	0.9
F	PC40	100+	0.94		SPC75	50+	2.05	_ 🎑			
F	PC50	100+	0.99		SPC90	50+	3.24		DB2Z300	20+	6.
F	PC65	100+	1.96		SPC100	50+	4.00		DB2Z450	20+	9.
F	PC80	50+	2.94		SPC125	10+	7.54		DBL2FZ	20+	2.8
F	PC90	50+	4.06		SPC150	10+	9.14	ALC:			
F	PC100	50+	4.47	an.					WHLH	20+	15.
F	PC125	10+	7.92		RS3825	100+	0.32		WHRH	20+	15.3
F	PC150	10+	9.67			1000+	0.30	18			
F	PC220	10+	15.42			10000+	0.25	lle.	AHP	40+	18.3
	0220	10.	10.42			10000	0.23		AIII	401	



Barbaro Fencing Components is South Australia's leading fencing components manufacturer.

Barbaro Fencing Components was founded as J Barbaro & Sons in 1979 by Joe Barbaro and family. Since then we have supplied the fencing and manufacturing industries with the best in steel fencing and building components, as well as

servicing businesses with their general engineering needs. In 2022 the rebrand commenced and Barbaro Fencing Components was born.

We are committed to providing you with the same exceptional service that you know and trust, with the same friendly faces that you have known over the past 40 years.

Come into our factory in Wingfield to see how we can help you today.

Address	19-23 Graham Street,
	Wingfield SA 5013
Phone	(08) 8345 3299
Website	barbarofencing.com.au
Email	admin@jbarbaro.com.au

#### What we can offer you:

#### 40 YEARS EXPERIENCE

With over 40 years experience, our tried and tested methods mean no waste of your valuable time and resources.

#### TIME IS MONEY

At Barbaro Fencing Components, we provide a high quality service to all customers, big or small. When an order is placed with us we understand that time is money, so we do our very best to provide what you need as quickly and efficiently as possible.

#### QUALITY MATERIALS

As we only use quality materials, you can be assured that all products are made to suit our harsh Australian climate.

#### WIDE RANGE

Our large range of stock on hand can prepare you for most fencing jobs with just one visit to our factory outlet.

#### **TEAM WORK**

As you know, some jobs can be time consuming, so we like to work with you to find the best and most economical way to produce your product.

#### **ENGINEERING SELECTION**

We have a wide selection of engineering machinery for punching, guillotining or welding to help you get the professional finish you need.